

ARTICLE CODE : ARAMID450CV1

INHERENT FR 450 COVERALL




Fabrics Available

ARAMID 450

Composition : 93% Meta Aramid , 5% Para Aramid, 2% AS 4.5 Oz | 150 GSM

GARMENT SPECIFICATIONS:

- Two front chest pocket. Right pocket provided with flap. Left pocket provided with snap closer.
- Two back pockets. Right pocket provided with flap. One tool pocket on back side.
- Pen pocket on left sleeves.
- Front closer with 2-way heavy duty YKK brass zipper.
- Adjustable cuffs with snap button.
- Elasticized waist.
- Action pleat in back for better movement.
- FR Reflective Tape in.
- Collar closure with snap button.
- Concealed metal parts for better protection.
- All stress points are Bar-Tack reinforced.
- High Strength Aramid Thread used for stitching.




SIZES AVAILABLE : S - 4XL

*Customization Available As Per Customer Requirement

INHERENT FR 625 COVERALL

ARTICLE CODE : IFR625CV2



SIZES AVAILABLE : S - 4XL

*Customization Available As Per Customer Requirement

Fabrics Available

ARAMID 625

93% Meta Aramid, 5% Para Aramid , 2% AS
Rip Stop Fabric (6.25 Oz | 210 GSM)

GARMENT SPECIFICATIONS:

- 2 front chest pockets with YKK zipper.
- 2 Side opening pockets for ease of access.
- 2 Hip pockets.
- One hammer loop and tool pocket.
- Front 2-way heavy duty YKK zipper.
- Elasticized waist.
- Collar closure with snap button.
- Concealed metal parts for better protection.
- All stress points are Bar-Tack reinforced.
- High Strength Aramid Thread used for stitching.

ARTICLE CODE : ARAEC0170CV1

INHERENT FR COOL COVERALL



Fabrics Available


ARA ECO 150

ARA ECO 170

49% Aramid 49% FR Viscose 2% AS GSM 150 | 170

GARMENT SPECIFICATIONS:

- 2 front chest pockets with flap & FR Velcro closure.
- 2 Side opening pockets for ease of access.
- One hip pocket with flap & FR Velcro closure.
- Front 2-way heavy duty YKK zipper.
- Adjustable cuffs with snap button.
- Elasticized waist.
- FR Reflective Tape arms, shoulder & legs for more visibility.
- Collar closure with snap button.
- Concealed metal parts for better protection.
- All stress points are Bar-Tack reinforced.
- High Strength Aramid Thread used for stitching.



SIZES AVAILABLE : S - 4XL

*Customization Available As Per Customer Requirement

MULTINORM HV ORANGE FR COVERALL

ARTICLE CODE : MNI300CV1




HV YELLOW

SIZES AVAILABLE : S - 4XL

*Customization Available As Per Customer Requirement

Fabrics available
MNI 300
Modacrylic Polyester Aramid Blend
with 2% AS optional (300GSM)
(Available in HV Yellow and HV Orange
as per EN 20471)

GARMENT SPECIFICATIONS:

- 2 front chest pockets.
- 2 Hip pockets.
- One pen pocket and tool Pocket.
- Front 2-way heavy duty YKK zipper.
- Adjustable cuffs with FR Velcro.
- All stress points are Bar-tack reinforced.
- Concealed metal parts for better protection.
- All stress points are Bar-Tack reinforced.
- High Strength Aramid Thread used for stitching.

ARTICLE CODE : PTXPA245CV5


INHERENT FR PRO HRC 3 COVERALL



Fabrics Available
PTX PA 245- 52% Modacrylic 37% Cotton,
9% PAI 2% AS (245 GSM)
(Double Layer)

GARMENT SPECIFICATIONS:

- 2 front chest pocket and back pockets.
- Front closer with 2-way heavy duty YKK brass zipper.
- Adjustable cuffs with FR Velcro.
- Concealed metal parts for better protection.
- All stress points are Bar-Tack reinforced.
- High Strength Aramid Thread used for stitching.




SIZES AVAILABLE : S - 4XL

*Customization Available As Per Customer Requirement

HV FR COMFORT LITE COVERALL

ARTICLE CODE : HVFRC250CV5



SIZES AVAILABLE : EU 44-68 | UK 34-58

*Customization Available As Per Customer Requirement

Fabrics available
FRC 250
Treated FR 99% cotton and
1% antistatic (250 GSM)

GARMENT SPECIFICATIONS:

- Garment Design Complying to EN 20471, EN 11611, EN 11612, EN 61482
- 2 front chest pockets
- 2 Side opening pockets for ease of access
- 2 Hip pockets
- One pen pocket and tool Pocket
- Front 2-way heavy duty YKK zipper
- Adjustable cuffs with FR Velcro
- All stress points are Bar-tack reinforced
- Collar closure with snap button
- Concealed metal parts for better protection
- All stress points are Bar-Tack reinforced
- High Strength Aramid Thread used for stitching

ARTICLE CODE : FRC250CV8

HV FR COMFORT LITE WINTER COVERALL



Fabrics available

Outer Layer- FRC 250, Treated FR 99% cotton and 1% antistatic (250 GSM)

Insulation-80 GSM Poly Fill

Inner Lining- ARA ECO 150- 50% Meta Aramid & 50% FR Viscose

GARMENT SPECIFICATIONS:

Garment Design Complying to EN 20471, EN 11611, EN 11612, EN 61482.

2 front chest pockets.

2 Side opening pockets for ease of access.

2 Hip pockets.

One pen pocket and tool Pocket.

Front 2-way heavy duty YKK zipper.

Adjustable cuffs with FR Velcro.


All stress points are Bar-tack reinforced.

Collar closure with snap button.

Concealed metal parts for better protection.

All stress points are Bar-Tack reinforced.

High Strength Aramid Thread used for stitching.




SIZES AVAILABLE : EU 44-68 | UK 34-58

*Customization Available As Per Customer Requirement

FR EXTREME LITE COVERALL

ARTICLE CODE : FRCN700ST1



SIZES AVAILABLE : S - 4XL

*Customization Available As Per Customer Requirement

Fabrics Available
FRCN 700
Treated FR 88% Cotton 12%
Nylon 7.25 Oz. | 250 GSM

GARMENT SPECIFICATIONS:

- 2 Front chest pockets.
- 2 Side opening pockets for ease of access.
- 2 Hip pockets.
- One pen pocket.
- Front 2-way heavy duty YKK zipper.
- Adjustable cuffs with FR Velcro.
- One hammer loop and tool pocket.
- Action pleat in back for better movement.
- FR Dual Tone Reflective Tape on shoulders, arms and legs.
- X-Shaped Dual tone Reflective Tape stitched on back.
- Collar closure with snap button.
- Concealed metal parts for better protection.
- All stress points are Bar-Tack reinforced.
- High Strength Aramid Thread used for stitching.
- Triple stitched side seams.

ARTICLE CODE : FRC330CV1

WELDERS COVERALL




Fabrics available

FRC 330 - Treated FR 100% Cotton, 330 GSM

FRC 300 - Treated FR 100% Cotton, 300 GSM

GARMENT SPECIFICATIONS:

- 2 Side opening pockets for ease of access
- 2 Hip pockets
- Front snap button closure
- Adjustable cuffs with snap button
- Collar closure with snap button
- All stress points are Bar-Tack reinforced
- High Strength Aramid Thread used for stitching




SIZES AVAILABLE : S - 4XL

*Customization Available As Per Customer Requirement

HV FR COMFORT TOUGH COVERALL WITH WINTER VARIANT

ARTICLE CODE : FRC350CV5



SIZES AVAILABLE : EU 44-68 | UK 34-58

*Customization Available As Per Customer Requirement

Fabrics available
FRC 350
Treated FR 99% cotton and 1% antistatic (350 GSM)
For Winter Variant:
Insulation-80 GSM Poly Fill
Inner Lining- ARA ECO 150- 50% Meta Aramid &
50% FR Viscose

GARMENT SPECIFICATIONS:

Garment Design Complying to EN 20471, EN 11611,
EN 11612, EN 61482.

2 front chest pockets.

2 Side opening pockets & 2 Hip pockets.

One pen pocket and tool Pocket

Front 2-way heavy duty YKK zipper.

Adjustable cuffs with FR Velcro.

All stress points are Bar-tack reinforced.

Collar closure with snap button.

Concealed metal parts for better protection.

All stress points are Bar-Tack reinforced.

High Strength Aramid Thread used for stitching.

ARTICLE CODE : FRCN700CV8

INSULATED COTTON NYLON COVERALL



Fabrics Available:

FRCN 700- Treated FR 88% Cotton 12%
Nylon 7 oz. / 245 GSM


FRCN 900- Treated FR 88% Cotton 12%
Nylon 9 oz. / 300 GSM

Insulation- FR Insulation/Poly Fill

Inner Lining- ARA ECO 150- 50% Meta Aramid
& 50% FR Viscose

GARMENT SPECIFICATIONS:

- Storm collar for added protection..
- 2 slanted front chest pockets with YKK zipper.
- 2 Side opening pockets & 2 Hip pockets.
- One pen pocket with flap & FR Velcro closure.
- Action pleat in back for better movement.
- Front 2-way heavy duty YKK zipper.
- Side Leg 1-way YKK zipper for easier removal.
- FR Reflective Tape on shoulders, arms and legs.
- Collar closure with snap button.
- Concealed metal parts for better protection.
- All stress points are Bar-Tack reinforced.
- High Strength Aramid Thread used for stitching.



SIZES AVAILABLE : S - 4XL

***Customization Available As Per Customer Requirement**

JACKETS



www.eshcolmercante.com

ARTICLE CODE : IFR450JKT01

INHERENT FR 450 CONTRAST WINTER JACKET




Fabrics Available

Composition Outer and Inner Layer:
93% Meta Aramid | 5% Para Aramid | 2% AS
| 4.5 Oz | 150 GSM
Inner Layer: FR Insulation
(Optional with Polyfill 180 GSM)

GARMENT SPECIFICATIONS:

- Storm collar for added protection.
- Collar closure with snap button.
- One slanted front chest pocket with YKK zipper.
- 2 Side waist pockets with YKK zipper.
- One pen pocket.
- Adjustable cuffs with snap button.
- Front 1-way YKK zipper.
- New Design with contrasting colors.
- Concealed metal parts for better protection.
- All stress points are Bar-Tack reinforced.
- High Strength Aramid Thread used for stitching.
- Triple stitched side seams.




SIZES AVAILABLE : S - 4XL

*Customization Available As Per Customer Requirement

INHERENT FR PRO HRC 3 CONTRAST JACKET

ARTICLE CODE : PTXAMD245CV5



SIZES AVAILABLE : S - 4XL

*Customization Available As Per Customer Requirement

Fabrics Available
PTX PA 245- 52% Modacrylic 1 37% Cotton,
9% PAI 2% AS (245 GSM)
(Double Layer)

GARMENT SPECIFICATIONS:

- 2 front chest pocket and back pockets.
- Front closer with 2-way heavy duty YKK brass zipper.
- Adjustable cuffs with FR Velcro.
- Concealed metal parts for better protection.
- All stress points are Bar-Tack reinforced.
- High Strength Aramid Thread used for stitching.

ARTICLE CODE : MNI300JKT3

MULTINORM HV ORANGE FR WINER PARKA



Fabrics available
MNI 300
Modacrylic Polyester Aramid Blend with
2% AS optional (300GSM)
(Available in HV Yellow and HV Orange as
per EN 20471)

GARMENT SPECIFICATIONS:

- One front chest pockets & one pen pocket
- Two Waist pockets,
- Front heavy duty brass FR zipper.
- Adjustable cuffs with FR Velcro.
- All stress points are Bar-tack reinforced.
- Concealed metal parts for better protection.
- All stress points are Bar-Tack reinforced.
- High Strength Aramid Thread used for stitching.

HV YELLOW




SIZES AVAILABLE : S - 4XL

*Customization Available As Per Customer Requirement

FR COMFORT LITE CONTRAST JACKET

ARTICLE CODE : FRC250JKT3



SIZES AVAILABLE : S - 4XL

*Customization Available As Per Customer Requirement

Fabrics Available
FRC 700
Treated FR 100% Cotton 7 oz. / 250 GSM
(Available in Ripstop weave as well for
added strength)

GARMENT SPECIFICATIONS:

- Storm collar for added protection with FR Velcro closure.
- Two Chest Pockets with single Radio pocket.
- Two waist pocket for extra storage.
- Adjustable cuffs with FR Velcro.
- Front heavy duty brass FR zipper.
- New Design with contrasting colors.
- Concealed metal parts for better protection.
- All stress points are Bar-Tack reinforced.
- High Strength Aramid Thread used for stitching.

ARTICLE CODE : FRC250JKT3

HV FR COMFORT LITE JACKET WITH VARIANT OF WINTER PARKA



Fabrics available

FRC 250

Treated FR 99% cotton and 1% antistatic
(250 GSM)

For winter Variant

Insulation-80 GSM Poly Fill

Inner Lining- ARA ECO 150- 50%

Meta Aramid & 50% FR Viscose

GARMENT SPECIFICATIONS:

Garment Design Complying to EN 20471, EN 11611,
EN 11612, EN 61482, EN 13688.

Storm collar for added protection.

Collar closure with FR Velcro.

2 front chest pockets with flap & FR Velcro.

2 front waist pockets with flap & FR Velcro.

Adjustable cuffs with FR Velcro Closure.


Front 1-way YKK zipper.

FR Reflective Tape as per EN 20471.

Concealed metal parts for better protection.

All stress points are Bar-Tack reinforced.

High Strength Aramid Thread used for stitching.




SIZES AVAILABLE : EU 44-68 | UK 34-58

*Customization Available As Per Customer Requirement

HV FR COMFORT TOUGH JACKET WITH VARIANT OF WINTER PARKA

ARTICLE CODE : FRC350JKT3



SIZES AVAILABLE : EU 44-68 | UK 34-58

*Customization Available As Per Customer Requirement

Fabrics available
FRC 350
Treated FR 99%cotton and 1% antistatic 350 GSM
For winter Variant
Insulation-80 GSM Poly Fill
Inner Lining- ARA ECO 150- 50% Meta Aramid &
50% FR Viscose

GARMENT SPECIFICATIONS:

Garment Design Complying to EN 20471, EN 11611,
EN 11612, EN 61482, EN 13688.

Storm collar for added protection.

Collar closure with FR Velcro.

2 front chest pockets with flap & FR Velcro.

2 front waist pockets with flap & FR Velcro.

Adjustable cuffs with FR Velcro Closure.

Front 1-way YKK zipper.

FR Reflective Tape as per EN 20471.

Concealed metal parts for better protection.

All stress points are Bar-Tack reinforced.

High Strength Aramid Thread used for stitching.

ARTICLE CODE : FRC330JKT1


WELDERS JACKET



Fabrics available
FRC 330 - Treated FR 100% Cotton,
330 GSM
FRC 300 - Treated FR 100% Cotton,
300 GSM

GARMENT SPECIFICATIONS:

Front snap button closure.
One inside pocket.
Adjustable cuffs with snap button.
All stress points are Bar-Tack reinforced.
High Strength Aramid Thread used for stitching.




SIZES AVAILABLE : EU 44-68 | UK 34-58

*Customization Available As Per Customer Requirement

METAL SAFE CONTRAST JACKET

ARTICLE CODE : FRC472JKT3



SIZES AVAILABLE : S - 4XL

*Customization Available As Per Customer Requirement

Fabrics Available
FRC 430- 100% Treated FR Cotton
430 GSM
FRC 470- 100% Treated FR Cotton
470 GSM

GARMENT SPECIFICATIONS:

Two front chest pockets with flap & Velcro closure.
Adjustable cuffs with FR velcro.
Front closure with stud buttons.
Adjustable waist.
FR Reflective Tape on sleeves.
Concealed metal parts for better protection.
All stress points are Bar-Tack reinforced.
High Strength Aramid Thread used for stitching.

ARTICLE CODE : ARA625JKT1


INHERENT FR 625 JACKET



Fabrics Available
ARAMID 625- 93%
Meta Aramid 1 5%
Para Aramid 1 2% AS 220 GSM

GARMENT SPECIFICATIONS:

2 front chest pockets provided with Flap.
Two down pockets provided with zipper.
One Inner pocket.
Cuff provided with adjustable snap button.
Front closer with heavy duty YKK brass zipper
Standing collar above neck.
FR Reflective as picture.
Concealed metal parts for better protection.
All stress points are Bar-Tack reinforced.
High Strength Aramid Thread used for stitching.



SIZES AVAILABLE : EU 44-68 | UK 34-58

*Customization Available As Per Customer Requirement

SHIRTS



ARTICLE CODE : ARAEC0170SH1

INHERERENT FR COOL SHIRT



Fabrics Available

ARA ECO 150

ARA ECO 170

Composition : 49% Aramid 49% FR Viscose 2% AS

GSM: 150 & 170

GARMENT SPECIFICATIONS:

Two chest pockets provided with Flap closer with FR Buttons.


Sleeve cuffs provided with adjustable FR Buttons.

Front closer with FR Buttons.

Pen pocket on left sleeve.

Adjustable cuffs with FR buttons.

High Strength Aramid Thread used for stitching.




SIZES AVAILABLE : S - 4XL

*Customization Available As Per Customer Requirement

FR COMFORT LITE CONTRAST SHIRT

ARTICLE CODE : FRC700ST3



SIZES AVAILABLE : S - 4XL

*Customization Available As Per Customer Requirement

Fabrics Available
FRC 700
Treated FR 100% Cotton 7 oz. | 250 GSM

GARMENT SPECIFICATIONS:

- 2 front pockets with flaps
- Exclusive design with contrasting colors
- Pearl snap buttons for a better look
- Action pleat in back for better movement
- Adjustable cuffs with button
- Fusing in collars & flaps for a sturdier finish
- All stress points are Bar-Tack reinforced
- High Strength Aramid Thread used for stitching

ARTICLE CODE : FRC700ST1

HV FR COMFORT LITE SHIRT



Fabrics Available
FRC 700
Treated FR 100% Cotton
7.25 Oz. | 250 GSM

GARMENT SPECIFICATIONS:


Two chest pockets provided with Flap closer with FR Buttons.

Sleeve cuffs provided with adjustable FR Buttons
Front closer with FR Buttons.

Pen pocket on left sleeve.

FR Retro Reflective Heat Transfer Tape (Serrated).

High Strength Aramid Thread used for stitching




SIZES AVAILABLE : S - 4XL

*Customization Available As Per Customer Requirement

DUAL TONE HV FR EXTREME LITE SHIRT

ARTICLE CODE : FRCN700ST2



SIZES AVAILABLE : S - 4XL

*Customization Available As Per Customer Requirement

Fabrics Available
FRCN 700
Treated FR 88% Cotton 12%
Nylon 7.25 Oz. | 250 GSM

GARMENT SPECIFICATIONS:

High visible Yellow fabric complying to EN 20471 with contrast.

Two chest pockets provided with Flap closer with FR Buttons.

Sleeve cuffs provided with adjustable FR Buttons.

Front closer with FR Buttons.

FR Retro Reflective Heat Transfer Tape (Serrated).

High Strength Aramid Thread used for stitching.

ARTICLE CODE : FRC700ST1


FR EXTREME LITE SHIRT



Fabrics Available
FRCN 700
Treated FR 88% Cotton 12% Nylon
7.25 Oz. | 250 GSM

GARMENT SPECIFICATIONS:

- 2 front pockets with flaps.
- Exclusive design with contrasting colors.
- Pearl snap buttons for a better look.
- Action pleat in back for better movement.
- Adjustable cuffs with button.
- FR Dual Tone Reflective Tape on shoulders, chest and arms.
- X-Shaped Reflective Tape stitched on back.
- Fusing in collars & flaps for a sturdier finish.
- All stress points are Bar-Tack reinforced.
- High Strength Aramid Thread used for stitching.




SIZES AVAILABLE : S - 4XL

*Customization Available As Per Customer Requirement

FR PLAID UNIFORM SHIRT

ARTICLE CODE : FRC700ST2



SIZES AVAILABLE : S - 4XL

*Customization Available As Per Customer Requirement

Fabrics Available
FRC 700- Treated FR 100% Cotton
7 oz. | 250 GSM

GARMENT SPECIFICATIONS:

- Plaid FR fabric for a professional look
- 2 front pockets with flaps
- Action pleat in back for better movement
- Adjustable cuffs with button
- Fusing in collars & flaps for a sturdier finish
- All stress points are Bar-Tack reinforced
- High Strength Aramid Thread used for stitching

ARTICLE CODE : ARAMID450ST1

INHERENT FR 450 SHIRT



Fabrics Available

ARAMID 450

Composition : 93% Meta Aramid,

5% Para Aramid, 2% AS

4.5 Oz / 150 GSM

GARMENT SPECIFICATIONS:

Two chest pockets provided with Flap closer with FR Buttons.


Sleeve cuffs provided with adjustable FR Buttons.

Front closer with FR Buttons.

Pen pocket on left sleeve.


Adjustable cuffs with FR buttons.

High Strength Aramid Thread used for stitching.




SIZES AVAILABLE : S - 4XL

*Customization Available As Per Customer Requirement



BIBS & TROUSERS

www.eshcolmercante.com



ARTICLE CODE : ARAMID450TR1

INHERENT FR 450 TROUSER



Fabrics Available

ARAMID 450

Composition : 93% Meta Aramid ,

5% Para Aramid, 2% AS

4.5 Oz / 150 GSM

GARMENT SPECIFICATIONS:


Two cross pockets. Two cut back pockets.

Front closer with FR Brass zipper.

Concealed led metal parts for better protection

All stress points are Bar-Tack reinforced

High Strength Aramid Thread used for stitching



SIZES AVAILABLE : S - 4XL


*Customization Available As Per Customer Requirement

PROTEX PREMIUM BIBPROTEX PREMIUM BIB

ARTICLE CODE : PTXAMD245TR3




8.2 Cal/cm²



SIZES AVAILABLE : S - 4XL

***Customization Available As Per Customer Requirement**

Fabrics available
PTXPA 240- 52% Moda,
37% Cotton 9% PA, 2% AS, 240 GSM

GARMENT SPECIFICATIONS:

- One front pocket with flap & FR Velcro closure
- Elasticized FR straps for proper fit
- FR non-metal adjusters
- 2 Side opening pockets for ease of access
- One Hip pocket with flap & Velcro closure
- One Cargo pocket with flap & FR Velcro closure
- One tool pocket
- Elasticized grip in the feet for added protection
- New Design with contrasting colors
- Concealed metal parts for better protection
- All stress points are Bar-Tack reinforced
- High Strength Aramid Thread used for stitching
- Triple stitched side seams

ARTICLE CODE : FRC250TR3

HV FR COMFORT LITE BIB TROUSER




Fabrics available

FRC 250
Treated FR 99% cotton &
1% antistatic (250 GSM)

GARMENT SPECIFICATIONS:

Garment Design Complying to EN 20471, EN 11611, EN 11612, EN 61482.
Front chest pocket with Flap.
Elasticized straps and adjustable buckle for proper fit.
Front 1-way zipper.
2 Side opening pockets for ease of access.
2 Hip pockets.
Knee reinforcements for added durability.
FR Retro Reflective tape as per EN 20471.
Concealed metal parts for better protection.
All stress points are Bar-Tack reinforced.
High Strength Aramid Thread used for stitching.




SIZES AVAILABLE : EU 44-68 | UK 34-58

*Customization Available As Per Customer Requirement

HV FR COMFORT TOUGH BIB TROUSER

ARTICLE CODE : FRC350TR3



Fabrics available
FRC 350

Treated FR 99% cotton &
1% antistatic 350 GSM

GARMENT SPECIFICATIONS:

Garment Design Complying to EN 20471, EN 11611,
EN 11612, EN 61482.

Front chest pocket with Flap.

Elasticized straps and adjustable buckle for proper fit.

Front 1-way zipper.

2 Side opening pockets for ease of access.

2 Hip pockets.

Knee reinforcements for added durability.

FR Retro Reflective tape as per EN 20471.

Concealed metal parts for better protection.

All stress points are Bar-Tack reinforced.

High Strength Aramid Thread used for stitching.

SIZES AVAILABLE : EU 44-68I UK 34-58

*Customization Available As Per Customer Requirement

ARTICLE CODE : FRCN700TR3


DUAL TONE FR EXTREME LITE TROUSER



Fabrics Available
FRCN 700
Treated FR 88% Cotton 12% Nylon
7.25 Oz. | 250 GSM

GARMENT SPECIFICATIONS:

High visible Yellow fabric complying to EN 20471 with contrast.
Two cross pockets. One back cut pocket.
Front closer with FR Brass zipper.
FR Retro Reflective Heat Transfer Tape (Serrated).
Concealed metal parts for better protection.
All stress points are Bar-Tack reinforced.
High Strength Aramid Thread used for stitching.




SIZES AVAILABLE : S - 4XL

*Customization Available As Per Customer Requirement

FR EXTREME LITE BIB TROUSER

ARTICLE CODE : FRCN700TR1



SIZES AVAILABLE : S - 4XL

*Customization Available As Per Customer Requirement

GARMENT SPECIFICATIONS:

- Fabrics Available
FRCN 700
Treated FR 88% Cotton 12%
Nylon 7.25 Oz. | 250 GSM
Article Code : FRCN700ST1
- 2 front chest pockets
- Elasticized FR straps for proper fit
- Front 1-way YKK zipper
- FR non-metal adjusters
- 2 Side opening pockets & 2 Hip pockets
- High-back design for added warmth
- Knee re-inforcements for added durability
- Side leg 1-way YKK zipper for easier removal
- FR Dual Tone Reflective Tape on chest and legs
- X-Shaped Reflective Tape stitched on back
- Concealed metal parts for better protection
- All stress points are Bar-Tack reinforced
- High Strength Aramid Thread used for stitching
- Triple stitched side seams

ARTICLE CODE : FRD1100TR1


DENIM FR 1100 TROUSER



Fabrics Available
Denim FRC 1100
Treated FR 100% Cotton Denim
11 oz. / 370 GSM

GARMENT SPECIFICATIONS:

- 2 Side opening pockets
- 2 Hip patch pockets
- Front button closure system
- Front 1-way YKK zipper fly closure
- All stress points are Bar-Tack reinforced
- High Strength Aramid Thread used for stitching




SIZES AVAILABLE : S - 4XL

*Customization Available As Per Customer Requirement

METAL SAFE CONTRAST TROUSERS

ARTICLE CODE : FRC470TR3



SIZES AVAILABLE : S - 4XL

*Customization Available As Per Customer Requirement

Fabrics Available
FRC 430- 100% Treated FR Cotton 430 GSM
FRC 470- 100% Treated FR Cotton 470 GSM

GARMENT SPECIFICATIONS:

- 2 Side opening pockets.
- 2 Hip patch pockets.
- FR Reflective Tape for Visibility
- Front button closure system.
- Front 1-way YKK zipper fly closure.
- All stress points are Bar-Tack reinforced.
- High Strength Aramid Thread used for stitching.

ARTICLE CODE : FRD1450TR1


DENIM FR 1450 TROUSER



Fabrics Available
Denim FRC 1450
Treated FR 100% Cotton Denim
14.5 oz. / 500 GSM
TR414FRDE - Size

GARMENT SPECIFICATIONS:

- 2 Side opening pockets
- 2 Hip patch pockets
- Front button closure system
- Front 1-way YKK zipper fly closure
- All stress points are Bar-Tack reinforced
- High Strength Aramid Thread used for stitching



SIZES AVAILABLE : S - 4XL


*Customization Available As Per Customer Requirement

INHERENT FR PRO HRC 3 CONTRAST BIB TROUSERS

ARTICLE CODE : PTXPA245BT3



33 Cal/cm²



SIZES AVAILABLE : S - 4XL

*Customization Available As Per Customer Requirement

Fabrics Available
PTX PA 245- 52% Modacrylic1 37% Cotton,
9% PA 2% AS (245 GSM)
(Double Layer)

GARMENT SPECIFICATIONS:

- One front pocket with flap & FR Velcro closure.
- Elasticized FR straps for proper fit.
- FR non-metal adjusters.
- 2 Side opening pockets for ease of access.
- One Hip pocket with flap & Velcro closure.
- One Cargo pocket with flap & FR Velcro closure.
- One tool pocket.
- Elasticized grip in the feet for added protection.
- New Design with contrasting colors.
- Concealed metal parts for better protection.
- All stress points are Bar-Tack reinforced.
- High Strength Aramid Thread used for stitching.
- Triple stitched side seams.

ARTICLE CODE : FRC250TR3


INHERENT FR 625 TROUSERS



Fabrics Available
ARAMID 625- 93% Meta Aramid
5% Para Aramid | 2% AS (220 GSM)

GARMENT SPECIFICATIONS:

- Two front patch pockets
- One radio pocket
- 2 Hip patch pockets
- Two Side cargo pockets for extra storage
- Front button closure system
- Front 1-way YKK zipper fly closure
- All stress points are Bar-Tack reinforced
- High Strength Aramid Thread used for stitching



SIZES AVAILABLE : S - 4XL

***Customization Available As Per Customer Requirement**


MISCELLANEOUS

A large industrial ladle is tilted, pouring a stream of bright yellow molten metal into a mold. The scene is set in a dark, industrial environment with various metal structures and pipes visible in the background. The lighting is dominated by the intense glow of the molten metal, creating a dramatic and high-contrast scene.


HTP SUIT

HIGH THERMAL PERFORMANCE SUIT

With different industries facing various hazards in a single work premises the requirement for a multiple hazard protection garments is a must. After visiting and investigating cement industries we have come across a special requirement of the end user which had proven to be a fatal hazard when not handled properly and it was near Kiln. The areas near Kiln like the Pre-heater, clinker etc have high temperature which vary from 800°C to 1000°C and even could go 1450°C in Kiln. So to work under such conditions the garments should have best heat control properties even in such high temperatures also maintaining the easy movements of the body. The HTP SUIT consists of multiple layers of fabric for controlling the heat which is the major enemy in these industries. The use of modified fibers which are inherently FR, high strength and have better moisture management properties enhances the performance of the HTP SUIT.



SR NO.	LAYER	FABRIC TYPE	PROPERTIES
1.	OUTER LAYER	PYROTEK BLEND (Advanced)	<ul style="list-style-type: none"> Inherently FR Protection from Molten Metal Splashes. High Comfort and flexibility maintaining the free movements in difficult conditions. High heat and thermal protection due to blend of special fibers. Weight-330GSM ± 5% Color Availability: Petrol Blue, Royal Blue, Navy Blue, Grey, Red, Orange.
2.	MIDDLE LAYER	100% ARAMID FELT	<ul style="list-style-type: none"> Inherently FR Very High Thermal Protection Breathable and comfortable
3.	INNER LAYER	50% ARAMID : 50% FR VISCOSE	<ul style="list-style-type: none"> Inherently FR High Moisture Regain value of FR Viscose for maintaining the comfort levels even at high temperatures.



JACKET DESIGN

Two chest pockets provided with Flap closer with FR Buttons.

Sleeve cuffs provided with adjustable FR Buttons
Front closer with FR Buttons.

Pen pocket on left sleeve.

FR Retro Reflective Heat Transfer Tape (Serrated).
High Strength Aramid Thread used for stitching

BIB TROUSERS DESIGN

The Pant will be provided with two tool pockets with flap & velcro.

The Pant will be provided with elasticated suspender for fitting.

The Pant stress points will be bartacked for reinforcement.
The Pant will be provided with Zip Fly with button closure.



SIZES AVAILABLE : S - 4XL

ARTICLE CODE : ALSAFE330JKT1

ALSAFE 330 JACKET



Fabrics Available:

- AL SAFE 280 - Wool & FR Viscose blend *
- AL SAFE 330 - Wool & FR Viscose blend *

GARMENT SPECIFICATIONS:

Long sleeved, Gusseted adjustable cuffs.
Two front chest pocket covered with flap.


Front opened shirt with protective cover flap to prevent molten splash to enter through openings.

Adjustable collar with velcro closure for added protection of neck.

HV FR tape (Available in Dual Tone / Retro-reflection).

All stress points are Bar - Tack reinforcement.

High strength aramid thread used for stitching.



SIZES AVAILABLE : S - 4XL

*Customization Available As Per Customer Requirement



EN11612
A1,A2,C1,F1,B1,E3,D3

FABRIC FINDER

PRODUCT TYPE		ITEM CODE	COMPOSITION	GSM
NOMADIC ARAMIDS	ARAMID PRIME	ARAMID 450 ARAMID 525 ARAMID 625	93:5:2,Meta-Aramid:Para-Aramid: AS 93:5:2,Meta-Aramid:Para-Aramid: AS 93:5:2,Meta-Aramid:Para-Aramid: AS	150 GSM 180 GSM 210 GSM
	ARAMID M-BLAZE	ARA BLZ 180 ARA BLZ 250 ARA BLZ 230 (CHV)	99% Meta-Aramid, 1%AS 99% Meta-Aramid, 1%AS 99% Meta-Aramid, 1%AS	180 GSM 250 GSM 230 GSM
	ARAMID ECO	ARA ECO 150 ARA ECO 170 ARA ECO 200	50% Aramid, 50% FR Viscose 49% Aramid, 49% FR Viscose, 2% AS 50% Aramid, 50% FR Viscose	150 GSM 170 GSM 200 GSM
	ARAMID PYRO	ARA PYO 180 ARA PYO 200 ARA PYO 240	40% Aramid 60% Pyrotek 40% Aramid 60% Pyrotek 40% Aramid 60% Pyrotek	180 GSM 200 GSM 240 GSM
	PROTEX COOL	PTX230 PTX250 PTX270 PTX310	55% Modacrylic, 43% Cellulose, 2% AS 55% Modacrylic, 43% Cellulose, 2% AS 55% Modacrylic, 43% Cellulose, 2% AS 55% Modacrylic, 43% Cellulose, 2% AS	230 GSM 250 GSM 270 GSM 310 GSM
NOMADIC PRO FR	PROTEX ARAMID	PTXPA 195 PTXPA 240 PTXPA 270	52% Modacrylic, 37% Cellulose, 9% PA 2% AS 52% Modacrylic, 37% Cellulose, 9% PA 2% AS 52% Modacrylic, 37% Cellulose, 9% PA 2% AS	195 GSM 240 GSM 270 GSM
	PROTEX KNITTED	PTXKN 210SJ PTXKN 250SJ PTXKN 240PK PTXKN 280PK PTXKN 310FL	60% Modacrylic, 39% Cellulose, 1% AS 60% Modacrylic, 39% Cellulose, 1% AS 60% Modacrylic, 39% Cellulose, 1% AS 60% Modacrylic, 39% Cellulose, 1% AS 60% Modacrylic, 39% Cellulose, 1% AS	210 GSM 250 GSM 220 GSM 280 GSM 300 GSM
NOMADIC HI-VIZ FR	HIVIZ TFR	HV FRC 250 HV FRC 350 HV FRCP 260 HV FRCP 340	99% Cotton, 1 % Antistatic 99% Cotton, 1 % Antistatic 60% Cotton, 40% Polyester 60% Cotton, 39% Polyester, 1% AS	250 GSM 350 GSM 260 GSM 340 GSM
	HIVIZ IFR	HV PTX 240 HV PTX 310 MNI 300	55% Modacryliv 45% Cotton 55% Modacryliv 45% Cotton Modacrylic Polyester Aramid Blend with 2% AS optional	240 GSM 310 GSM 300 GSM
NOMADIC ALSAFE		ALSAFE 280 ALSAFE 330	Wool & FR Viscose Blend with Nylon Optional 9Wool & FR Viscose Blend with Nylon Optional	280 GSM 330 GSM
NOMADIC TREATED FR		FRC220 FRC250 FRC 700 FRC 900 FRC 330A FRC 330 FRC 350 FRC 430 FRC 470 DENIM FRC 1450 FRCN 700 FRCN 900 FRCP 260 FRCP 250 FRCP 340	100% Cotton 99% Cotton, 1 % Antistatic 100% Cotton 100% Cotton 100% Cotton 99% Cotton, 1 % Antistatic 99% Cotton, 1 % Antistatic 100% Cotton 100% Cotton 100% Cotton Denim 88% Cotton, 12% Nylon 88% Cotton, 12% Nylon 75% Cotton, 24% Polyester, 1% Antistatic 60% Cotton, 39% Polyester, 1% Antistatic 75% Cotton, 40% Polyester	220 GSM 250 GSM 250 GSM 300 GSM 330 GSM 330 GSM 350 GSM 430 GSM 470 GSM 14.5 Ozy 240 GSM 300 GSM 260 GSM 250 GSM 340 GSM



FR TYPE	EN 11612	EN 11611	EN 61482	EN 1149-5	NFPA 2112	ATPV	EN 20471/ ANSI 107	EN 13034
INHERENT	A1, A2, B1, C1, F1,	-	-	✓	UL	-	NA	Optional
INHERENT	A1, A2, B1, C1, F1,	-	-	✓	✓	-	NA	Optional
INHERENT	A1, A2, B1, C1, F1,	Class 1	✓	✓	UL	6.3 cal/cm ²	NA	Optional
INHERENT	A1, A2, B1, C1, F1,	-	-	✓	✓	-	NA	Optional
INHERENT	A1, A2, B1, C1, F1,	Class 1	✓	✓	✓	-	NA	Optional
INHERENT	A1, A2, B1, C1, F1,	-	-	✓	✓	-	NA	Optional
INHERENT	A1, A2, B1, C1, F1,	-	-	Optional	✓	-	NA	Optional
INHERENT	A1, A2, B1, C1, F1,	-	-	✓	✓	6.5 cal/cm ²	NA	Optional
INHERENT	A1, A2, B1, C1, F1,	-	-	Optional	✓	-	NA	Optional
INHERENT	A1, A2, B1, C1, F1,	-	-	Optional	✓	-	NA	Optional
INHERENT	A1, A2, B1, C1, F1,	Class 1	-	Optional	✓	-	NA	Optional
INHERENT	A1, B1, C1,	-	-	✓	✓	-	✓	Optional
INHERENT	A1, B1, C1,	-	-	✓	✓	-	✓	Optional
INHERENT	A1, A2, B1, C1, F1,	Class 1	✓	✓	✓	-	✓	Optional
INHERENT	A1, A2, B1, C1, F1,	Class 1	✓	✓	✓	14 cal/cm ²	✓	Optional
INHERENT	A1, B1, C1, F1,	-	-	✓	✓	✓	✓	Optional
INHERENT	A1, A2, B1, C1, F1,	Class 1	✓	✓	✓	8.2 cal/cm ²	✓	Optional
INHERENT	A1, A2, B1, C1, F1,	Class 1	✓	✓	✓	✓	✓	Optional
INHERENT	A1, B1, C1,	-	-	✓	✓	-	✓	Optional
INHERENT	A1, B1, C1,	-	-	✓	✓	-	✓	Optional
INHERENT	A1, B1, C1,	-	-	✓	✓	-	✓	Optional
INHERENT	A1, A2, B1, C1, F1,	Class 1	✓	✓	✓	-	✓	Optional
INHERENT	A1, A2, B1, C1, F1,	Class 1	✓	✓	✓	-	✓	Optional
TREATED	A1, B1, C1,	Class 1	✓	✓	✓	-	HV YELLOW	Optional
TREATED	A1, B1, C1,	Class 1	✓	✓	✓	-	HV YELLOW	Optional
TREATED	A1, A2, B1, C1, F1,	Class 1	✓	Optional	✓	-	HV YELLOW	Optional
TREATED	A1, A2, B1, C1, F1,	Class 1	✓	✓	✓	-	HV YELLOW	Optional
INHERENT	A1, B1, C1, F1,	-	✓	Optional	✓	-	HV YELLOW	Optional
INHERENT	A1, A2, B1, C1, F1,	Class 1	✓	Optional	✓	14 cal/cm ²	HV YELLOW	Optional
INHERENT	A1, A2, B1, C1, F1,	-	✓	✓	✓	-	HV Y /HV O	Optional
INHERENT	A1, A2, B1, C1, F1, D3	-	-	-	-	-	NA	Optional
INHERENT	A1, A2, B1, C1, F1, E3, D3	-	-	-	-	-	NA	Optional
TREATED	A1, A2, B1, C1, F1,	-	-	Optional	-	-	NA	Optional
TREATED	A1, A2, B1, C1, F1,	Class 1	✓	✓	✓	-	HV YELLOW	Optional
TREATED	A1, A2, B1, C1, F1,	Class 1	-	Optional	UL	10.5 cal/cm ²	NA	Optional
TREATED	A1, A2, B1, C1, F1,	Class 1	-	Optional	UL	13.3 cal/cm ²	NA	Optional
TREATED	A1, A2, B1, C1, F1,	Class 1	-	Optional	✓	-	NA	Optional
TREATED	A1, A2, B1, C1, F1,	Class 1	-	✓	✓	-	NA	Optional
TREATED	A1, A2, B1, C1, F1,	Class 1	✓	✓	✓	9.7 cal/cm ²	HV YELLOW	Optional
TREATED	A1, A2, B1, C1, F1, E2	Class 2	-	Optional	✓	-	NA	Optional
TREATED	A1, A2, B1, C1, F1, E3	Class 2	-	Optional	✓	-	NA	Optional
TREATED	A1, A2, B1, C1, F1, E2	Class 2	-	Optional	UL	-	NA	Optional
TREATED	A1, A2, B1, C1, F1,	Class 1	-	Optional	UL	12.2 cal/cm ²	NA	Optional
TREATED	A1, A2, B1, C1, F1,	Class 1	-	Optional	UL	16.8 cal/cm ²	NA	Optional
TREATED	A1, A2, B1, C1, F1,	Class 1	✓	✓	-	-	HV YELLOW	Optional
TREATED	A1, A2, B1, C1, F1,	Class 1	-	✓	-	-	HV YELLOW	Optional
TREATED	A1, A2, B1, C1, F1,	Class 1	-	Optional	✓	-	HV YELLOW	Optional

SIZING

PICK A PERFECT FIT

Size	Chest Size (inches)	Sleeve Length (inches)		
		Short*	Regular**	Long***
Small (S)	36	30	32	34
	38	30.5	32.5	34.5
	40	31	33	35
Medium (M)	42	31.5	33.5	35.5
	44	32	34	36
	46	33	35	37
Large (L)	48	33.5	35.5	37.5
	50	34	36	38
	52	35	37	39
2X-Large (2XL)	54	36	38	40
	56	37	39	41
	58	38	40	42
3X-Large (3XL)	60	39	41	43
	62	40	42	44
	64	42	44	46

*SHORT: HEIGHT = 5'5"

**MEDIUM: 5'5" < HEIGHT < 6'0"

***LONG : HEIGHT = 6'0" OR MORE

Size	Chest Size
Small	34" – 36"
Medium	38" – 40"
Large	42" – 44"
X-Large	46" – 48"
2X-Large	50" – 52"
3X-Large	54" – 56"
4X-Large	58" – 60"

